

















Depths

General			
1	ED	Existence doubtful	ED
2	SD	Sounding doubtful	SD
3.1	Rep	Reported, but not surveyed	Rep
3.2	 Rep (1983)	Reported with year of report, but not surveyed	Rep (1973)
4	 Rep	Reported but not confirmed sounding or danger	 

Soundings				Supplementary national symbols: a - C
Plane of Reference for Depths → H		Plane of Reference for Heights → H		
10		Sounding in true position (NOS uses upright soundings on English unit charts and sloping soundings on Metric charts).		
11		Sounding out of position		
12		Least depth in narrow channel		
13		No bottom found at depth shown		
14		Soundings which are unreliable or taken from a smaller-scale source (NOS uses sloping soundings on English unit charts and upright soundings on Metric charts).		
15		Drying heights above chart datum		

Depths

Depths in Fairways and Areas		Supplementary national symbols: a, b	
Plane of Reference for Depths → H			
20		Limit of dredged area	
21		Dredged channel or area with depth of dredging in meters	7.0 m 7.0 meters
22		Dredged channel or area with depth and year of the latest control survey	Dredged to 7.2m (1978) 7.2m (1978)
23		Dredged channel or area with maintained depth	Maintained depth 7.2m 7.2m
24		Depth at chart datum, to which an area has been swept by wire drag. The latest date of sweeping may be shown in parentheses	
25		Unsurveyed or inadequately surveyed area; area with inadequate depth information	

Depths

Depth Contours																																										
30	<table border="1"> <thead> <tr> <th>Feet</th> <th>Fm/Meters</th> </tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>6</td><td>1</td></tr> <tr><td>12</td><td>2</td></tr> <tr><td>18</td><td>3</td></tr> <tr><td>24</td><td>4</td></tr> <tr><td>30</td><td>5</td></tr> <tr><td>36</td><td>6</td></tr> <tr><td>60</td><td>10</td></tr> <tr><td>120</td><td>20</td></tr> <tr><td>180</td><td>30</td></tr> <tr><td>240</td><td>40</td></tr> <tr><td>300</td><td>50</td></tr> <tr><td>600</td><td>100</td></tr> <tr><td>1,200</td><td>200</td></tr> <tr><td>1,800</td><td>300</td></tr> <tr><td>2,400</td><td>400</td></tr> <tr><td>3,000</td><td>500</td></tr> <tr><td>6,000</td><td>1,000</td></tr> </tbody> </table>	Feet	Fm/Meters	0	0	6	1	12	2	18	3	24	4	30	5	36	6	60	10	120	20	180	30	240	40	300	50	600	100	1,200	200	1,800	300	2,400	400	3,000	500	6,000	1,000			
	Feet	Fm/Meters																																								
0	0																																									
6	1																																									
12	2																																									
18	3																																									
24	4																																									
30	5																																									
36	6																																									
60	10																																									
120	20																																									
180	30																																									
240	40																																									
300	50																																									
600	100																																									
1,200	200																																									
1,800	300																																									
2,400	400																																									
3,000	500																																									
6,000	1,000																																									
31	<p>Approximate depth contour</p> <p>Continuous lines, with values</p>		<p>Approximate depth contours</p>																																							
<p><i>Note:</i> The extent of the blue tint varies with the scale and purpose of the chart, or its sources. On some charts, contours and figures are printed in blue.</p>																																										

Supplementary National Symbols		
a		Swept channel
b		Swept area, not adequately sounded (shown by purple or green tint)
c		Stream